



# Weatherbars Door Surrounds & DIY Products

Sealed in quality  
[exitex.com](http://exitex.com)

For Timber, Composite  
& PVC Doors



# Quality you can trust

All Exitex draught and weather seals are manufactured to the highest standards, incorporating many unique patented features.

## **Aluminium**

Hardened High Tensile to BS 1474

## **Anodising**

15-25 Micrometres to BS 3987

## **Powder Coating**

60-80 Micrometres to BS 6496

## **Solid EPDM Rubber Gaskets**

to BS 4255

## **Cellular EPDM Rubber Gaskets**

to SS243705A1, SS81813

## **PVC**


Gaskets to BS 7412

## **ISO 9001:2015**

Quality Management  
System Certified

## **ISO 27001:2017**

Security Management  
System Certified



### Key



**Wheelchair  
Friendly**



**Moderate  
Exposure**



**Severe  
Exposure**



## Weatherbars, Door Surrounds & DIY Products

### Thresholds

Mobility weatherbars inward & outward opening	2-7
Mobility weatherbars inward opening	8-20
Mobility weatherbars outward opening	20-25
Non mobility weatherbars inward opening	26-29
Non mobility weatherbars outward opening	29

Accessories	30
-------------	----

Aluminium Tiebars	31-32
-------------------	-------

Deflectors / Garage Door Seals	33-36
--------------------------------	-------

Bi-Fold Threshold	37
-------------------	----

Stable Door Kit	38
-----------------	----

Lock Edges for composite doors	39-40
--------------------------------	-------

Hinge Edges for composite doors	41-42
---------------------------------	-------

Door Surrounds	43-44
----------------	-------

DIY Products	45-49
--------------	-------

Acoustic Seals	50-51
----------------	-------

Display Stands	52-55
----------------	-------

Floor Trims	56-57
-------------	-------

PART  
M

Part M  
Approved



## MXS 15/67 Frame Specific

### Inward


Ref: 1.01.0389

Accepts internal frame specific endcaps

Easily removable for remedial work

Available in bright silver & gold

In sizes 870mm to 4590mm



## MXS 15/72 Frame Specific

### Inward



Ref: 1.01.0387

Accepts internal frame specific endcaps

Easily removable for remedial work

Available in bright silver & gold

In sizes 870mm to 4590mm



## Aluminium Outward Infills

for MXS 15/67 Ref: 1.01.0396

for MXS 15/72 Ref: 1.01.0388



Converts MXS 15 Frame Specific to outward opening

Remove gasket as per illustration

Insert aluminium infill

Available in bright silver and gold

In sizes 1000mm to 4590mm



## MXS 15 Frame Specific Internal Endcaps



Cut weatherbar to size

### MXS 15/67 endcaps available

Deceuninck 2833 Sculptured  
Duraflex 7504 Comp Sculptured  
Ecoframe P60 Bevelled  
Eurocell EWS031 Comp Bevelled  
Halo Rustique PVC Sculptured  
Halo System 10 PVC Bevelled  
Linlar LSW018 Comp Sculptured  
Plastmo Index Bevelled



Fit endcaps then screw to frame

Plastmo Vogue Sculptured  
Profile 22 Optima Comp Bevelled  
Rehau S706 Comp Bevelled  
Rehau Total 70 Comp Bevelled  
Spectus Elite 63 Bevelled  
Synseal Legend Comp Bevelled  
Veka Comp Sculptured  
Veka Halo System 10 Comp Bevelled  
Veka Halo Rustique Comp Sculptured



Easily removed

### MXS 15/72 endcaps available

Kommerling C70 Bevelled  
Rehau S706 Bevelled  
Spectus Elite 70 Bevelled  
Swish 24/7 Sculptured  
Veka M70 Bevelled


## Threshex

Inward & Outward

Ref: 1.01.0450

Available in mill, gold, bronze & black

In sizes 933mm to 4590mm




## Slimline

Inward & Outward

Ref: 1.01.0420

Available in mill & gold

In sizes 914mm to 4590mm



## Kleertread 20 & 25



### Inward & Outward

20 Ref: 1.01.0200

25 Ref: 1.01.0205

Available in mill, gold & black

In sizes 914mm to 4590mm



## Industrial/Commercial Threshold Weatherbar

### Inward & Outward


Ref: 1.01.0180

Accommodates forklifts & heavy goods vehicles

Suitable for roller shutters

Available in mill & gold

In sizes 914mm to 4590mm




## Commercial Door Threshold 91

Inward & Outward

Ref: 1.01.0453

Available in mill & gold

In sizes 1000mm to 3000mm




## Commercial Door Threshold 95

Inward & Outward

Ref: 1.01.0448

Available in mill

In sizes 1000mm to 3000mm






## Commercial Door Threshold 100

Inward & Outward

Ref: 1.01.0458

Available in mill

In sizes 1000mm to 3600mm




## Commercial Door Threshold 128

Inward & Outward

Ref: 1.01.0454

Available in mill

In sizes 1000mm to 3000mm



## MXS 15/2


Inward

Ref: 1.01.0317

Accepts MWK Striker Block for flush bolts  
in double doors

Available in mill, gold & black

In sizes 914mm to 4590mm



## MXS 15/2 RITB


Inward

Ref: 1.01.0760

Thermally broken prevents condensation

Available in bright silver and gold

In sizes 914mm to 4590mm



## MXS 15/4

### Inward


Ref: 1.01.0313

Accepts Standard Striker Block for flush bolts in double doors

Rear thermal barrier prevents condensation

Available in mill & gold

In sizes 1000mm to 4590mm



## MXS 15/56

### Inward


Ref: 1.01.0314

Designed for 56mm thick doors

Accepts MWK Striker Block for flush bolts in double doors

Available in mill, gold & black

In sizes 914mm to 4590mm



## MXS 15/68

### Inward


Ref: 1.01.0312

Designed for 56mm thick doors

Accepts MWK Striker Block for flush bolts in double doors

Available in mill & gold

In sizes 914mm to 4590mm



## MXS 15/68 RITB

### Inward


Ref: 1.01.0764

Designed for 56mm thick doors

Thermally broken prevents condensation

Available in mill & gold

In sizes 914mm to 4590mm





## MDS 70 RITB

### Inward

Ref: 1.01.0770

Thermally broken to meet thermal bridging and insulation requirements



Accepts both internal and FSB Endcaps

Optional front ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4000mm



## MDS 70 RITB Outward Infill

### Outward

Ref: 1.01.0773

Converts MDS 70 RITB to outward opening


Remove gasket as per illustration

Insert outward infill

Optional ramp available separately

Available in gold & SAA

In sizes 1000mm to 4000mm



## MDS 70 Subsill RITB

### Inward

Ref: 1.01.0772


Designed for use with PVC, Wood or Composite Subsill

Thermally broken prevents condensation

Accepts MWK Striker Block for flush bolts in double doors


Available in SAA & gold

In sizes 1000mm to 4000mm



## MDS 70 RITB Endcaps


### Internal Endcap




### Internal Endcap



### FSB Endcap



### FSB Endcap



#### Internal endcaps available

Deceuninck 2833 Sculptured  
Duraflex 7504 Comp Sculptured  
Duraflex 7512 Sculptured  
Eurocell Eurologik Bevelled / Ovolo  
Eurocell EWS031 Comp Bevelled  
Halo Rustique Comp & PVC Sculptured  
Halo System 10 Comp Bevelled  
Kommerling Alustar Bevelled  
Kommerling C70 Bevelled / O70 Sculptured

Liniar LSW016 PVC Sculptured  
Liniar LSW018 Comp Sculptured  
Profile 22 Optima Composite Bevelled  
Rehau S706 Bevelled / Sculptured  
Rehau Total 70 Comp Bevelled  
Selecta Advance 70 Bevelled  
Sheerframe 8000 Sculptured  
Spectus Elite 70 Bevelled  
Swish 24/7 Sculptured  
Veka FSS Sculptured  
Veka M70 Bevelled

#### MDS FSB endcaps available

FSB Duraflex 7512 Sculptured  
FSB Eurocell Eurologik PVC Sculptured  
FSB Kommerling C70 PVC Bevelled  
FSB Kommerling O70 PVC Sculptured  
FSB Profile 22 Composite Black  
FSB Profile 22 Optima (Comp) Bevelled  
FSB Rehau S706 Comp Bevelled  
FSB Rehau S706 PVC Bevelled / Sculptured

#### OUM FSB endcaps available

FSB Duraflex 7512 PVC Sculptured  
FSB Profile 22 Optima Comp Bevelled  
FSB Rehau S706 PVC Bevelled

## MDS 80


### Inward

Ref: 1.01.0264

Rear thermal barrier prevents condensation

Available in gold & SAA

In sizes 914mm to 4590mm



## MDS 80/2 RITB

### Inward

Ref: 1.01.0754


Thermally broken prevents condensation

Optional front & rear ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm



## MDS 80/2/58 RITB

### Inward

Ref: 1.01.0753

Suitable for 58mm doors


Thermally broken prevents condensation

Optional front & rear ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm



## MDS 25/5/2 RITB

### Inward

Ref: 1.01.0750


Thermally broken prevents condensation

Optional rear ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm





## MDS 25/58 RITB

### Inward

Ref: 1.01.0751

Suitable for 58mm doors


Thermally broken prevents condensation

Optional rear ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm



## MDS 150 RITB

### Inward

Ref: 1.01.0756


Thermally broken prevents condensation

Optional rear ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm



## MDS 150/58 RITB

### Inward

Ref: 1.01.0761

Suitable for 58mm doors


Thermally broken prevents condensation

Optional rear ramp available separately

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm





## MDS Front Ramp / OUM Rear Ramp

Ref: 1.01.0763

Suitable for: MDS 80/2 RITB, MDS 80/2/58 RITB, MDS 70 RITB, OUM 70 RITB, OUM 70 Subsill RITB, OUM 80 RITB, OUM 125 RITB, OUM 150 RITB

Available in gold & SAA

In sizes 1000mm to 3000mm





## MDS Rear Ramp

Ref: 1.01.0762

Suitable for: MDS 25/5/2 RITB, MDS 25/58 RITB, MDS 80/2 RITB, MDS 80/2/58 RITB, MDS 150 RITB, MDS 150/58 RITB

Available in gold & SAA

In sizes 1000mm to 3000mm



## Sidelight Infill


Ref: 1.01.0268

This profile fits into the channel of the MDS range of weatherbars allowing the sidelight to sit on top

Supplied complete with end caps

Available in mill & gold

In sizes 1000mm to 3000mm



## Aluminium Door Infill 51mm x 22mm


Ref: 1.01.0350

Fits to bottom of PVC Door to give a flush finish

Supplied with rebated endcaps to accept lock wraparound.

Available in SAA & Gold

In sizes from 1000mm to 6000mm



## MWK 20

Inward



Ref: 1.01.0280

No seals underfoot to be damaged by foot traffic

Rear thermal barrier prevents condensation

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm



## MWK R/2/20

### Inward


Ref: 1.01.0286

Separate components eliminates need for notching

Rear thermal barrier prevents condensation

Available in mill & gold

In sizes 914mm to 4590mm



## MWK 25

### Inward



Ref: 1.01.0290

No seals underfoot to be damaged by foot traffic

Rear thermal barrier prevents condensation

Available in mill & gold

In sizes 914mm to 4590mm





## MWK R/2/25/MK2

### Inward



Ref: 1.01.0460

No seals underfoot to be damaged by foot traffic

Detachable front ramp eliminates need for notching

Available in mill & gold

In sizes 914mm to 4590mm



## MWK 27

### Inward


Ref: 1.01.0297

No seals underfoot to be damaged by foot traffic

Rear thermal barrier prevents condensation

Available in mill & gold

In sizes 914mm to 4590mm



## Auto Seal

### Inward


Ref: 1.01.0016

An automatic rise & fall draught excluder

Barrier free access ideal for wheelchairs

Available in gold & SAA

In sizes 914mm to 1220mm



## OUM


### Outward

Ref: 1.01.0330

No seals underfoot to be damaged by foot traffic

Available in mill & gold

In sizes 914mm to 4590mm



## OUM Thicker Door

### Outward


Ref: 1.01.0331

Designed for doors 44mm thick & over

Separate deflector & seal carrier

Available in mill & gold

In sizes 914mm to 4590mm



## OUM 2 RITB

### Outward


Ref: 1.01.0759

Thermally broken prevents condensation

Accepts MWK Striker Block for flush bolts in double doors

Available in gold & SAA

In sizes 1000mm to 4590mm



## OUM 4


### Outward

Ref: 1.01.0339

Accepts MWK Striker Block for flush bolts in double doors

Available in mill, gold, black & bronze

In sizes 914mm to 4590mm



## OUM 5 RITB

### Outward


Ref: 1.01.0758

Accepts MWK Striker Block for flush bolts in double doors

Thermally broken prevents condensation

Available in mill & gold

In sizes 914mm to 4590mm





## OUM 6

### Outward


Ref: 1.01.0343

Designed for doors 56mm thick and over

Accepts MWK Striker Block for flush bolts in double doors

Available in mill, gold and black

In sizes 914mm to 4590mm



## OUM 70 RTB

### Outward


Ref: 1.01.0775

Thermally broken prevents condensation

Optional rear ramp available separately

Available in gold & SAA

In sizes 1000mm to 4590mm



## OUM 80 RITB

### Outward


Ref: 1.01.0765

Thermally broken prevents condensation

Optional front & rear ramp available separately

Available in gold & SAA

In sizes 1000mm to 4590mm



## OUM 125 RITB

### Outward


Ref: 1.01.0767

Thermally broken prevents condensation

Optional rear ramp available separately

Available in gold & SAA

In sizes 1000mm to 4590mm



## OUM 70 Subsill RITB

### Outward


Ref: 1.01.0774

Designed for use with PVC, Wood  
or Composite Subsill

Thermally broken prevents condensation

Available in gold & SAA

In sizes 1000mm to 4590mm



## OUM 150 RITB

### Outward


Ref: 1.01.0757

Thermally broken prevents condensation

Optional rear ramp available separately

Available in gold & SAA

In sizes 1000mm to 4590mm



## Weatherten Bar Lowline



Inward

Ref: 1.01.0501

Accepts Standard Striker Block for flush bolts in double doors.

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm



## Weatherten Bar


Inward

Ref: 1.01.0500

Accepts Standard Striker Block for flush bolts in double doors

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm





## Macclex Lowline


### Inward

Ref: 1.01.0305

Accepts Standard Striker Block for flush bolts in double doors

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm



## Macclex


### Inward

Ref: 1.01.0300

Accepts Standard Striker Block for flush bolts in double doors

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm



## Bristlex

Inward



Ref: 1.01.0070

Front seal pile

Rear seal bristle

Available in mill & gold

In sizes 914mm to 4590mm



## Hi-Per Bar


Inward

Ref: 1.01.0170

No seals underfoot to be damaged by foot traffic

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm



## Double Sealing Sill


### Inward & Outward

Ref: 1.01.0120

Accepts Standard Striker Block for flush bolts in double doors

Available in mill & gold

In sizes 914mm to 4590mm



## OUT



### Outward

Ref: 1.01.0325

Accepts Standard Striker Block for flush bolts in double doors

Available in mill, gold, bronze & black

In sizes 914mm to 4590mm




## MWK Striker Block & Accessories

1. MWK Striker Block can be supplied blank (a) or pre-machined for adjustment (b) & (c)



2. Optional Striker Block Thimble can be used in conjunction with the MWK Striker Block or on its own (d)






## MDS / OUM Lock Keep / Bucket Keep

a. MDS/OUM Lock Keep Ref: 1.01.0635.0000.30

b. MDS/OUM Bucket Keep Ref: 1.01.0636.0000.00

c. MDS 70 RITB Outward Infill Ref: 1.01.0773

d. MDS 70 RITB Ref: 1.01.0770






## CDT 40 Tie Bar

Ref: 1.01.0496

Available in SAA

In sizes 1000mm to 3000mm




## CDT 63 Tie Bar

Ref: 1.01.0449

Available in mill

In sizes 1000mm to 3000mm




## CDT 101 Tie Bar

Ref: 1.01.0447

Available in mill

In sizes 1000mm to 3000mm




## CDT 127 Tie Bar

Ref: 1.01.0456

Available in mill

In sizes 1000mm to 3000mm




## 3x60 Flat Tie Bar

Ref: 1.01.0259

Available in mill

In sizes 1000mm to 4590mm




## PTB 85 Tie Bar

Ref: 1.01.0340

Available in mill & gold

In sizes 1000mm to 3000mm




## PTB 114 Tie Bar

Ref: 1.01.0341

Available in mill & gold

In sizes 1000mm to 3000mm




## MDS 25 Tie Bar

Ref: 1.01.0256

Available in mill

In sizes 1000mm to 3000mm




## Deflector 20

Inward

Ref: 1.01.0110

Available in mill, gold, white, black & bronze

In sizes 914mm to 4590mm



## Conceal Fix Expelex

Inward & Outward



With Seal Ref: 1.01.0142

Without Seal Ref: 1.01.0143

No visible screws

Available in mill, gold, black, white, blue, green, red, slate grey, anthracite grey, clay brown, cream & chartwell green

In size 914mm



## Radius Concealed Screw Fix Deflector



### Inward & Outward

Ref: 1.01.0148

No visible screws

Available in mill, gold, black, green, red, blue, white, slate grey, anthracite grey, clay brown, cream & chartwell green

In size 914mm (mill & gold to 4590mm)



## Expelex


### Inward & Outward

With Seal Ref: 1.01.0145

Without Seal Ref: 1.01.0146

Available in mill, gold, bronze, black, white, green & red

In sizes 914mm to 4590mm





## ERD Rain Deflector



Inward & Outward

With Seal Ref: 1.01.0132

Without Seal Ref: 1.01.0130

Available in mill & gold

In sizes 914mm to 4590mm



## Garex



Inward, Outward & Roller Shutter doors

Ref: 1.01.0163

Suitable for steel, timber or composite doors

Available in mill, gold, bronze, black & white

In sizes 914mm to 4590mm



## Garin



Inward, Outward & Roller Shutter doors

Ref: 1.01.0160

Suitable for steel, timber or composite doors

Available in mill, gold, bronze, black & white

In sizes 914mm to 4590mm



## GIFS & IFS

Inward, Outward & Roller Shutter doors



GIFS Ref: 1.01.0185

IFS Ref: 1.01.0182

Suitable for steel, timber or composite doors

Available in mill

In sizes 914mm to 4590mm



## Bi-Fold Threshold

Outward


Ref: 1.01.0440

In sizes 1000mm to 4590mm

Available in SAA, gold, black & brown



## Machining Detail




## Bi-Fold Head Track

Ref: 1.01.0441

In sizes 1000mm to 4590mm


Available in SAA



## Bi-Fold Threshold Endcap

Ref: 1.12.0268


Available in black



## Bi-Fold Connector

Ref: 1.12.0269

Available in black



## Stable Door Kit

Ref: 1.01.0965

Stable Door Kit consists of:

**A.** Conceal Fix Expelex (914mm x 2 pieces)

**B.** Double Door Centre Seal 16mm  
(914mm x 2 pieces)


Prevents rain and draughts where the stable door meets in the centre

Conceal Fix Expelex deflect the water away from both door panels

The Double Door Centre Seal creates a rain and draught seal between the two doors

Endcaps give extra protection against draughts.

Available in gold, mill, white, black, blue, green & red




## LE2/46/20

## Aluminium

For 20mm Lock Face Plate

Available in white RAL 9016, brown RAL 8003 &amp; brown RAL 8017

In size 2100mm




## LE4/44/16

## Aluminium

For 16mm Lock Face Plate

Available in white RAL 9910

In size 2100mm




## LE5/44/16

## Aluminium

For 16mm Lock Face Plate

Available in white RAL 9010, white RAL 9016, brown RAL 8001, brown RAL 8016 &amp; brown RAL 8017

In size 2100mm




## LE6/44/20

## Aluminium

For 20mm Lock Face Plate

Available in white RAL 9010, white RAL 9016, brown RAL 8003 &amp; brown RAL 8017

In size 2100mm




## LE8/50/20

## Aluminium

For 20mm Lock Face Plate

Available in white RAL 9010

In size 2100mm




## LE9/44/16

## PVC

For 16mm Lock Face Plate

Available in white

In size 2100mm






## LE10/44/20

### PVC

For 20mm Lock Face Plate

Available in white

In size 2100mm




## LE19/44/20

### Aluminium

For 20mm Lock Face Plate

Available in white RAL 9010

In size 2100mm




## Double Door Rebate Lock Set

### Aluminium

Available in mill, black, white, brown, blue, green, red, clay brown & grey

Suitable for 44mm Door Slabs

In size 2100mm




## HE3/44

### Aluminium

Suitable for 44mm door

Available in white RAL 9010, brown RAL 8011 & brown RAL 8017

In size 2100mm




## HE4/44

### Aluminium

Suitable for 44mm door

Available in white RAL 9010, white RAL 9910, brown RAL 8011 & brown RAL 8017

In size 2100mm




## HE6/44

### Aluminium

Suitable for 44mm door

Available in white RAL 9016, brown RAL 8001, brown RAL 8003, brown RAL 8016 & brown RAL 8017

In size 2100mm



## HE8/44

### Aluminium

Suitable for 44mm door

Available in white RAL 9010 & brown RAL 8017

In size 2100mm




## HE9/44

### Aluminium

Suitable for 44mm door

Available in white RAL 9910

In size 2100mm




## HE11/44

### Aluminium

Suitable for 44mm door

Available in white RAL 9016

In size 2100mm



## HE12/46

### Aluminium

Suitable for 44mm door

Available in white RAL 9016, brown RAL 8003 & brown RAL 8017

In size 2100mm




## HE12/PVC

### PVC

Suitable for 44mm door

Available in white & brown

In size 2100mm



## Standard Door Surround


Screw Fix Ref: 1.01.0400

Pin Fix Ref: 1.01.0401

Aluminium carrier with TPE gasket

Available in mill, gold, bronze, black & white

In sizes 914mm, 2134mm, 2439mm, 5180mm & 6090mm



## Flex 'n' Seal


Screw Fix Ref: 1.01.0150

Pin Fix Ref: 1.01.0151

Aluminium carrier with EPDM rubber gasket

Available in mill, gold, bronze, black & white

In sizes 914mm, 2134mm, 2439mm, 5180mm & 6090mm




## QDS

Pin Fix Ref: 1.01.0415

Aluminium carrier with Aquatex™ gasket

Available in mill & gold

In sizes 914mm, 2134mm, 2439mm, 5180mm & 6090mm




## Windor

Pin Fix Ref: 1.01.0455

Dualhard PVC door surround

Available in white & brown

In sizes 914mm, 2134mm & 5180mm




## PVC Pile Weather Set

Pin Fix Ref: 1.01.0345

PVC carrier with polypropylene pile

Available in white & brown

In sizes 914mm, 2134mm & 5180mm




## Aluminium Pile Weather Set

Pin Fix Ref: 1.01.0347

Aluminium carrier with polypropylene pile

Available in mill

In sizes 914mm, 2134mm & 5180mm




## QBS External

Ref: 1.22.0001

PVC carrier with Aquatex™ gasket

Available in brown & white

In sizes 2030mm & 5180mm




## QBS Internal

Ref: 1.22.0003

PVC carrier with Aquatex™ gasket

Available in brown & white

In sizes 2030mm & 5180mm




## Bladex

Screw Fix Ref: 1.01.0019

Aluminium carrier with TPE flipper

Available in mill, gold, & brown

In size 914mm




## Bladeseal

Pin Fix Ref: 1.01.0074

Dualhard PVC door bottom

Available in brown & white

In size 914mm




## Double Door Centre Seal 16mm

Ref: 1.01.0105

Aluminium carrier with EPDM rubber seal

Available in mill, gold, brown, white & black

In size 2400mm




## Double Door Centre Seal 30mm

Ref: 1.01.0106

Aluminium carrier with EPDM rubber seal

Available in mill, gold, brown, white & black

In size 2400mm





## E Strip


**Ref: 1.03.0001**

Self adhesive EPDM rubber

Seals gaps 2 - 3.5mm

Available in white & brown

Packed in 5m display pack or 100m reel



## P Strip


**Ref: 1.03.0002**

Self adhesive EPDM rubber

Seals gaps 2 - 5mm

Available in white, brown & black

Packed in 5m display pack or 100m reel



## Self Adhesive Foam

Standard 4mm thick x 6mm wide

**Ref: 1.01.0380**

Extra wide 4mm thick x 10mm wide

**Ref: 1.01.0382**

Extra Thick 6mm thick x 8mm wide

**Ref: 1.01.0384**




Packed in 5m  
& 15m display  
packs  
(Extra Thick  
5m only)

## Self Adhesive Polypropylene Pile

**Ref: 1.01.0425**

Available in white, brown & grey

Packed in 5m display pack or 100m reel



## Underdoor Foam Draft Excluder


**Ref: 1.01.0941.0950.00**

Fits all Internal Doors

Easily Installed

Available in grey

In size 950 mm



## Glazing Film

**1.8 sq metre - Ref: 1.01.0391**

**4.5 sq metre - Ref: 1.01.0390**

**9 sq metre - Ref: 1.01.0392**

Creates a secondary glazing effect on windows

Prevents draughts

Reduces heating costs



## Insulating External Tap Cover


Ref: 1.01.0980

Frost Protection for taps

Fits most taps

Easy to install

Taps can be used with cover left on



## Radiator Heat Reflector Foil


Ref: 1.01.0397

Fits all radiators

In size 5m x 500mm approx

Reflects warmth, increases heating effect

Easily fitted



## PVC Letterplate Seal with & without flap


Without Flap Ref: 1.01.0212 / With Flap Ref: 1.01.0210

Available in white & brown

High impact PVC with long lasting bristle.

Stops draughts, dust & rain

For internal use



## Aluminium Letterplate Seal with flap


Ref: 1.01.0210

Available in gold, SAA & black

Aluminium flap with long lasting bristle

Stops draughts, dust & rain

For internal use



## Aluminium Brushstrip

Ref: 1.01.0062-65

Bristle heights 18mm, 30mm, 40mm, 50mm

Available in mill & gold

In sizes 914mm to 2134mm



## PVC Brushstrip

Ref: 1.01.0032-35

Bristle heights 18mm, 30mm, 40mm, 50mm

Available in white & brown

In sizes 914mm to 2134mm




## Brushstrip Concealed Fixings – Pecan

Ref: 1.01.0042.0914.42

Bristle height 18mm

In size 914mm




## Brushstrip Concealed Fixings – Light Oak

Ref: 1.01.0042.0914.40

Bristle height 18mm

In size 914mm




## Brushstrip Concealed Fixings – Mahogany

Ref: 1.01.0042.0914.41

Bristle height 18mm

In size 914mm




## Brushstrip 45° - 30mm bristle

Ref: 1.01.0203

Available in mill

In sizes 1000mm to 3000mm




## Brushstrip 45° - 50mm bristle

Ref: 1.01.0204

Available in mill

In sizes 1000mm to 3000mm




## Brushstrip 45° - 65mm bristle

Ref: 1.01.0202

Available in mill

In sizes 1000mm to 3000mm



## Industrial Brushstrips 90°

90° Brushstrip with 25mm Bristle - Ref: 1.01.0196


90° Brushstrip with 50mm Bristle - Ref: 1.01.0195

90° Brushstrip with 80mm Bristle - Ref: 1.01.0194

90° Brushstrip with 100mm Bristle - Ref: 1.01.0186

Available in mill


In sizes 1000mm to 3000mm



90° Brushstrip with 120mm Bristle - Ref: 1.01.0187

90° Brushstrip with 150mm Bristle - Ref: 1.01.0188

90° Brushstrip with 200mm Bristle - Ref: 1.01.0189



## Industrial Brushstrip 180°

180° Brushstrip with 25mm Bristle - Ref: 1.01.0087

180° Brushstrip with 50mm Bristle - Ref: 1.01.0193

180° Brushstrip with 80mm Bristle - Ref: 1.01.0075

180° Brushstrip with 120mm Bristle - Ref: 1.01.0076

Available in mill, white & black


In sizes 914mm to 3000mm



180° Brushstrip with 100mm Bristle - Ref: 1.01.0082

180° Brushstrip with 150mm Bristle - Ref: 1.01.0083

180° Brushstrip with 200mm Bristle - Ref: 1.01.0084



## Digitex Superior Front Finger Guard

Ref: 1.10.0403

Heavy duty front finger guard  
Suitable for commercial applications  
Anodised Aluminium carrier with concealed fixings  
Fits most doors, prepacked with fixings  
Available in white, brown & black  
In size 2100mm



## Digitex Front Finger Guard

Ref: 1.10.0401


Prevents fingers being trapped  
Fits most doors, prepacked with fixings  
Available in white, brown & grey  
In size 1960mm



## Digitex Rear Finger Guard

Ref: 1.10.0400

Covers the rear hinges of a door preventing fingers getting trapped  
Fits most doors, prepacked with fixings  
Available in white, brown & grey  
In size 1960mm



## Hingex Rear Finger Protector

Ref: 1.10.0402

Fits between rear door hinges preventing fingers getting trapped  
Fits most doors  
Self-adhesive, easily fitted  
Available in silver & white  
In size 1800mm






## Concealex Slimline Facefix (Retail)

Ref: 1.50.0007.0930.31


Application	All types of swing doors
Maximum drop	15mm
Trimming lengths	Up to 100mm on the opposite side to the plunger
Fixing	Surface Mounted screw fix with PVC Clip On Cover
Adjustment	Standard Phillips Screwdriver
Self-levelling	Yes
Seal	Silicone Rubber
Available in	SAA
In size	930mm



## Concealex Facefix Dropseal (Retail)

Ref: 1.50.0011.0930.31


Application	All types of swing doors
Maximum drop	14mm
Trimming lengths	Up to 150mm on the opposite side to the plunger
Fixing	Surface mounted screw fix with aluminium clip on cover with nylon cap
Adjustment	Plunger adjustable with 3mm Allen Key
Self-levelling	Yes
Seal	Self-extinguishing co-extruded thermoplastic
Fire Tested	For 30 & 60 minutes to BS 476: Part 22
Smoke Tested	To BS EN 1634-3: 2001
Acoustic Tested	Up to 43DB to BS EN ISO 10140-2:2010
Available in	SAA
In size	930mm



## Concealex A8100

Ref: 1.50.0001


Application	Timber doors, aluminium doors, security doors and PVC doors
Maximum drop	14mm
Trimming lengths	Up to 150mm on the opposite side to the plunger (length 260mm cannot be shortened, 330mm can be shortened 50mm)
Fixing	With screws supplied
Adjustment	Standard Phillips Screwdriver
Self-levelling	Yes
Seal	Co-extruded tubular seal in self-extinguishing TPE
Fire Tested	For 30 & 60 minutes to BS EN 1634-1: 2014
Smoke Tested	To BS EN 1634-3: 2001
Acoustic Tested	Up to 44dB to BS EN ISO 10140-2:2010
Available in	SAA
In sizes	260mm, 330mm, 426mm, 526mm, 626mm, 726mm, 826mm, 914mm, 926mm, 1026mm, 1130mm, 1230mm, 1330mm and 1430mm



## Concealex A8100 Superior

Ref: 1.50.0005

Application	Timber doors and security doors
Maximum drop	17mm
Trimming lengths	Up to 150mm on the opposite side to the plunger (length 330mm can be shortened 50mm, length 426mm can be shortened 135mm)
Fixing	With stainless steel bracket
Adjustment	Plunger with adjustable spring
Self-levelling	Yes
Seal	Sound insulating seal in self-extinguishing TPE
Fire Tested	For 30 & 60 minutes to BS EN 1634-1: 2014
Smoke Tested	To BS EN 1634-3: 2004
Acoustic Tested	Up to 44dB to BS EN ISO 10140-2:2010
Available in	SAA
In sizes	330mm, 426mm, 526mm, 626mm, 726mm, 826mm, 914mm, 926mm, 1026mm, 1130mm, 1230mm, 1330mm and 1430mm




## BEM Stand

Ref: 1.30.0006.0000.00

### Contains

10 x Standard Door Surround 5180mm mill
10 x Standard Door Surround 5180mm gold
10 x Windor 5180mm white
10 x Windor 5180mm brown
10 x Threshex 933mm mill
10 x Threshex 933mm gold
10 x Macclex 15/2 914mm mill
10 x Macclex 15/2 914mm gold
10 x Expelex 914mm mill
10 x Expelex 914mm gold
10 x MWK 20 914mm mill
10 x MWK 20 914mm gold
10 x Brushstrip 914mm mill
10 x Brushstrip 914mm gold
10 x Brushstrip 914mm PVC white
10 x Brushstrip 914mm PVC brown
12 x E Strip 5m white
12 x E Strip 5m brown
12 x P Strip 5m white
12 x P Strip 5m brown
10 x Self Adhesive Foam 5m white
10 x Self Adhesive Foam 5m brown
10 x Letterplate Seal with flap white
10 x Letterplate Seal with flap brown
10 x Letterplate Seal with flap gold




## Metal E, P & Brushstrip Stand

Ref: 1.30.0007.0000.00

### Contains

12 x E Strip 5m white
12 x E Strip 5m brown
12 x P Strip 5m white
12 x P Strip 5m brown
10 x Brushstrip 914mm mill
10 x Brushstrip 914mm gold
10 x Brushstrip 914mm PVC white
10 x Brushstrip 914mm PVC brown




## Door Surround Display Stand

Ref: 1.30.0009.0000.00

### Contains

10 x Standard Door Surround 5180mm mill
10 x Standard Door Surround 5180mm gold
10 x Standard Door Surround 5180mm bronze
10 x Standard Door Surround 5180mm black
10 x Standard Door Surround 5180mm white



## Carpet Trims Stand

Ref: 1.30.0008.0000.00

### Contains

10 x Narrow Vinyl Cover Trim 914mm gold
10 x Narrow Vinyl Cover Trim 914mm SAA
10 x Carpet Cover Trim 914mm gold
10 x Carpet Cover Trim 914mm SAA
10 x Vinyl Edge Trim (Small) 914mm gold
10 x Vinyl Edge Trim (Small) 914mm SAA
10 x Single Nap Carpet Trim 914mm gold
10 x Single Nap Carpet Trim 914mm SAA
10 x Dual Edge Carpet Trim 914mm gold
10 x Dual Edge Carpet Trim 914mm SAA
10 x Vinyl Edge Trim (Large) 914mm gold
10 x Vinyl Edge Trim (Large) 914mm SAA




## Underdoor Foam Draught Excluder Display Unit

Ref: 1.30.0031.0000.00

### Contains

25 x Underdoor Foam Draught Excluders

Ref: 1.01.0941.0950.00




## Radiator Heat Reflector Foil Display Unit

Ref: 1.30.0015.0000.00

### Contains

25 x Radiator Heat Reflector Foil

Ref: 1.01.0397.0000.00







## Insulating External Tap Cover Display Unit

Ref: 1.30.0014.0000.00

### Contains

25 x Insulating External Tap Covers

Ref: 1.01.0980.0000.00



## E & P Strip Display Unit

Ref: 1.30.0012.0000.00

## E, P & Brushstrip Display Unit

Ref: 1.30.0013.0000.00

### Contains

24 x E Strip 5m white

24 x E Strip 5m brown

24 x P Strip 5m white

24 x P Strip 5m brown

(E, P & Brushstrip Unit also contains 20 of each Brushstrip 914mm in mill, gold, white PVC and brown PVC)




## Narrow Vinyl Cover Trim

Ref: 1.33.0010

Conceals & protects joints between vinyl/hard floor coverings. Suits all grades/thicknesses.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Vinyl/Carpet Cover Trim

Ref: 1.33.0020

Conceals & protects joints between vinyl/hard floor & carpet coverings.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Carpet Cover Trim

Ref: 1.33.0030

Designed to cover the join between two soft/carpet floor coverings.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Commercial Cover Trim

Ref: 1.33.0040

Extra wide for covering large or damaged joints between any two floor coverings.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Laminate Square Edge Trim

Ref: 1.33.0100

Provides the perfect finish to edging of laminate and wood flooring.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Laminate Z Trim

Ref: 1.33.0060

Provides the perfect finish between carpet and laminate/wood flooring.

In sizes - 914mm & 2750mm

Available In SAA & gold anodised




## Single Nap Carpet Trim

Ref: 1.33.0070

Provides the perfect finish for edging to carpets which require an underlay.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Dual Edge Carpet Trim

Ref: 1.33.0080

Provides the perfect finish & secures two carpets neatly (not suitable on foam backed).

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Vinyl Edge Trim (Large)

Ref: 1.33.0090

Provides the perfect finish for vinyl/tiles/ carpet up to 5.5mm thick.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Vinyl Edge Trim (Small)

Ref: 1.33.0050

Provides the perfect finish for vinyl/tiles/ carpet up to 4mm thick.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Double Edge Floor Trim

Ref: 1.33.0110

Designed for joining wood or laminate flooring. Ideal for doorways.

In sizes 914mm & 2750mm

Available In SAA & gold anodised




## Round Edge Floor Trim

Ref: 1.33.0120

Designed for joining wood/ laminate floors to different levels.

In sizes 914mm & 2750mm

Available In SAA & gold anodised



## **Brochure Range**

- \_ Acoustic Seals Range
- \_ Capex & Cresfinex
- \_ Fire Protection
- \_ Joinery Seals & Glazing

## **Exitex Limited**

Dundalk, Ireland,  
A91 HK29

+353 42 937 1244  
[info@exitex.com](mailto:info@exitex.com)

[exitex.com](http://exitex.com)

